Kansas Asthma Action Plan

	Number where can be reached: (
Student's Primary Care Provide			
This is the student's daily medicine plan:	Medicine/Dose When to Give it		
 The student has no asthma symptoms. The student can do 	□ Albuterol/Xopenex inhaler 2 sprays OR Every 4-6 hours as nee □ Albuterol/Xopenex solution 1 dosage □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	ded for wheezing/cough	
usual activities. The student can sleep without symptoms.	☐ Albuterol/Xopenex inhaler 2 sprays OR nebulizer treatment 15 exercise, only if neede		
Asthma Em	ergency Plan-What to do for increased asthma sym	ptoms	
Do this first when asthmatic symptoms occur:	Have the student take Albuterol inhaler 2 sprays OR one nebulizer treatment every 20 minutes up to 3 times. This is a test dose to see if the student's asthma improves with Albuterol.	Trigger List: Chalk Dust Cigarette Smoke Colds/Flu	
What to do Next:	When to Do it:	Dust or dust mites	
 □ Have the student return the classroom. □ Notify parents of studen need for a quick relief medicine. 	The student's symptoms improve after 1-2 treatments.	Stuffed animals Carpet Exercise Mold Ozone alert days Pests Plants, flowers, cut grass, pollen Strong odors, perfume, cleaning products Sudden temperature change Wood smoke Foods:	
Contact the parent or guardian.Contact the PCP for step medicine.	 Incomplete Response to Test Dose of Albuterol The student is experiencing mild to moderate symptoms (wheezing, coughing shortness of breath, chest tightness) after taking 3 treatments. The student cannot do normal school activities. 		
Seek emergency medica care in most locations, co. 911. Call the PCP	 The student does not feel better 20-30 minutes after taking the Albuterol. The student has severe symptoms (coughing; extreme shortness of breath; skin reactions between the ribs or 		
NOTE: Wheezing may be absent because air cannomove out of the airways	The student has trouble walking or talking.	Other:	